

Europäisches Patentamt
European Patent Office
Office européen des brevets



(11) **EP 0 901 249 A2**

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:
10.03.1999 Bulletin 1999/10

(51) Int Cl.⁶: H04H 1/02, H04N 7/173

(21) Application number: 98304517.0

(22) Date of filing: 08.06.1998

(84) Designated Contracting States:
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE
Designated Extension States:
AL LT LV MK RO SI

(72) Inventor: Tilt, Christopher E.
Portland, Oregon 97229 (US)

(74) Representative: Molyneaux, Martyn William
Langner Parry
52-54 High Holborn
London WC1V 6RR (GB)


(30) Priority: 10.06.1997 US 872032

(71) Applicant: TEKTRONIX, INC.
Wilsonville, Oregon 97070-1000 (US)

(54) **Server for interactive distribution of audio/video programmes over telecommunication networks**

(57) An audio/video media server for distributed editing over networks receives requests from clients on the networks that include a clip identifier, a delivery destination identifier and the frame numbers from the clip desired. The media server parses the requests and asynchronously accesses a file system to retrieve the requested media frames from a storage medium. The re-

trieved media frames are asynchronously transferred to a FIFO buffer, and a clock rate for a local clock is adjusted according to the fullness of the buffer. The media frames from the buffer are sent in the form of data packets over the networks in response to interrupts generated by the local clock. In this manner the timing for the media frames is controlled by the clients to assure a continuous stream of video during editing.



EP 0 901 249 A2

Description

CROSS-REFERENCE TO RELATED APPLICATIONS

[0001] Not applicable

STATEMENT REGARDING FEDERALLY SPONSORED RESEARCH OR DEVELOPMENT

[0002] This invention was developed under a federally sponsored research project, and the United States Government has certain rights as specified in the United States Department of Commerce Contract Number 70NANB5H1176.

BACKGROUND OF THE INVENTION

[0003] The present invention relates to the distribution of packetized data over networks, and more particularly to an audio/video media server for distributed editing over networks using a low-resolution format or a high-resolution format, depending upon the available network bandwidth.

[0004] Existing media servers stream video and audio packets over a network under control of a server. A client consumes video at whatever rate the server sends the packets -- the client consumes a contiguous movie. In other words the current media servers "push" media from the server to the client using a "stream" from the server. These servers are often called "video on demand" servers, however they refer to the delivery of contiguous movies, not in-progress material suitable for an edit session.

[0005] In an editing environment a client is looking to put together a "movie" from a plurality of video clips that may be distributed over a plurality of servers. With the "video on demand" servers the timing of the video to the client is determined by the servers. To provide concatenated clips, especially when a first clip is from one server and a second clip is from another server, the timing issue is "when does the second server start to 'push' the second clip?" This presents a very complex timing problem.

[0006] What is desired is an audio/video media server for distributed editing over a network that allows clients to access media from many distributed servers or even different media files on a server to enable the playing of "edited" movies with the timing controlled by the client.

BRIEF SUMMARY OF THE INVENTION

[0007] Accordingly the present invention provides an audio/video media server for distributed editing over a network by responding in an asynchronous manner to media frame requests from one or more clients. Each request contains a clip identifier, a delivery destination and the frames desired from the clip. The media server asynchronously accesses a file system to retrieve the media frames from a storage medium. The media

frames are then asynchronously input to a FIFO buffer and a clock rate is adjusted based upon the "fullness" of the FIFO buffer. For each interrupt generated by the clock a media frame is transferred from the buffer, packetized and sent over the network to the requesting client. In this way the client controls the timing of the media frames it receives to assure a continuous stream of media frames during editing.

[0008] The objects, advantages and other novel features of the present invention are apparent from the following detailed description when read in conjunction with the appended claims and attached drawing.

BRIEF DESCRIPTION OF THE SEVERAL VIEWS OF THE DRAWING

[0009] Fig. 1 is a general block diagram view of a distributed network for media editing according to the present invention.

[0010] Fig. 2 is a block diagram view of a media server for distributed editing over a network according to the present invention.

[0011] Fig. 3 is a message flow chart for the media server according to the present invention.

[0012] Fig. 4 is a message sequence chart for the operation of the media server according to the present invention.

DETAILED DESCRIPTION OF THE INVENTION

[0013] Referring now to Fig. 1 a distributed editing system 10 has a plurality of servers 12, such as Silicon Graphics, Inc. workstation, coupled over a network 14, such as Ethernet, to a plurality of clients 16, such as a personal computer having a Windows NT operating system with a Sigma Designs MPEG decoder. One or more of the clients 16 may access any one of the servers 12 at any time, and even access the same server simultaneously.

[0014] One of the clients 16 requests media frames from one of the servers 12 via the network 14. The client requests are in the form of command packets. As shown in Fig. 2 a network interface 18 in the server 12 receives the command packets and routes them to a command dispatcher 20. The command dispatcher 20 routes the command packets to an appropriate processing module depending upon what command is included within the packet. Commands may include "Lookup" commands, "Register" commands or "Request" commands.

[0015] A "Lookup" command from the client 16 is a search for a particular file or video clip by the client. The command dispatch module 20 in the server 12 forwards the command to a Lookup command module 22. The Lookup command module 22 returns an "id" to the client 16 for later use in accessing the clip via a file descriptor table 24. If the clip is already "open" as a result of a prior Lookup command, the "id" is simply returned to the client 16. This provides information to the client 16 about

where clips are that it might want to access in performing an edit.

[0016] A "Register" command from the client 16 is forwarded by the Command Dispatch module 20 to a Register Client command module 26. The Register Client command module 26 accesses a Client Delivery Handle table 28 and returns a destination identifier "did" to the client 16. In this manner the server 12 may keep track of what clients 16 have accessed it and the clients may use the "did" in subsequent requests to notify the server where to deliver media frames.

[0017] Once the client 16 has located the desired clips via the Lookup command and registered with the server 12 with the Register command, the client now makes requests for media frames using the Request command. The Request command includes the clip "id", the "did" and a "framelist" that includes the frames desired in response to the request. The Command Dispatch module 20 routes the Request command to a Frame Request module 30. The Frame Request module 30 converts the "id" and "framelist" together with the file descriptor information from the File Descriptor table 24 into a file address, an offset from the start of the file, a count corresponding to the number of frames requested and the delivery identification. Each media frame in the framelist is treated individually at this point.

[0018] A Read module 32 receives the information from the Frame Request module 30 and asynchronously accesses a file system 34 that retrieves the requested media frames one at a time from a storage unit 36, such as disk. A Handler module 38 then asynchronously receives the media frames one at a time from the file system 34 and provides the retrieved frame to a FIFO Input module 40. The FIFO Input module 40 stores each frame as received into a media frame first-in/first-out (FIFO) buffer 42 and also, either before or after storing each frame in the FIFO, checks the "fullness" of the FIFO. Based upon the "fullness" the FIFO Input module 40 provides an adjusted clock rate signal to a FIFO output clock 46. In this manner the data flow from the media server 12 is smoothed out. The FIFO output clock provides a periodic interrupt to a FIFO Output module 44 which extracts a media frame from the FIFO 42 for transmission to the requesting client 16. A Send module 48 receives the media frame from the FIFO Output module 44 and a destination address from the Client Delivery Handle table 28 and produces a media packet which is sent via the network interface 18 over the network 14 to the requesting client 16.

[0019] Referring now to Figs. 3 and 4 the message flow is in the form of commands (REGISTER, LOOKUP and REQUEST) from the client 16 to a request server 50 within the media server 12. The request server 50 processes the REGISTER, LOOKUP and REQUEST commands, as indicated above, to provide a delivery identification for the client in the Handle table 28 and establish a clip identification and to provide frame read requests for the file system 34. In response to the asyn-

chronous read requests the file system 34 retrieves files from the disk 36, and in response to handler requests the retrieved files on a frame by frame basis are transferred to a FIFO Manager 52. The FIFO Manager 52 provides rate adjustment for the clock 46, stores the frames as retrieved from the file system 34, and outputs the frame packets to the client 16 in response to the clock interrupts.

[0020] A typical message sequence would start with a REGISTER command from the client 16, which binds a network address and path to the client. The request server 52 returns to the client 16 the destination identifier ("did"). The client 16 then provides a LOOKUP command for a particular clip. The request server 52 asks the file system 34 to open the clip, if not already open, and the file system returns to the request server a file descriptor identifier. The request server 52 then returns the clip identifier ("id") to the client 16. The client 16 now has the information it needs to make media frame requests in the form of REQUEST commands to the request server 50 that include the clip identifier and delivery identifier as a hybrid identifier ("hid") and the number of frames from the clip desired-- generally from three to ten frames per REQUEST command. The request server 50 sends a read request to the file system 34 and acknowledges the client's request. Upon receipt of the acknowledgement the client 16 may send another REQUEST command to the request server 50 for the next group of frames from the clip. Again the request server 50 forwards a read request to the file system 34 and acknowledges the request from the client.

[0021] The Handler module 38 returns the requested frame to the request server 50 which then forwards the frame information to the FIFO Manager 52. The FIFO Manager 52 provides a rate command to the clock 46 which returns interrupts to the FIFO Manager. The FIFO Manager 52 in response to the interrupts outputs to the client 16 frame packets for each requested frame.

[0022] For multiple clients 16 simultaneously accessing a single media server 12 the media frames from the FIFO 42 may be read out by separate FIFO output modules 44 for each client. To avoid "starving" any one client 16 the FIFO output modules 44 are accessed in a rotational manner so that packets for each client are sent to the network 14 in an intermingled fashion, thus preventing the server 12 from being "captured" by a single client when multiple clients are accessing it.

[0023] Thus the present invention provides a media server that leaves timing to requesting clients by processing request commands from clients on a demand basis, and asynchronously accessing the requested media files and returning them to the client at a sufficient rate so that the client has a steady stream of video images to process, regardless of where the clips are coming from.

Claims

1. A method of distributed editing of video clips over a network having a plurality of clients and at least one media server comprising the steps of:

 requesting from one of the clients over the network a portion of a video clip from the media server, each portion containing at least one media frame;

 asynchronously accessing a file system to retrieve the requested portion of the video clip from a storage medium;

 asynchronously transferring the portion from the file system to a buffer one media frame at a time; and

 transmitting the media frame in the form of network packets from the media server to the requesting client over the network as a function of a local clock rate.
2. The method as recited in claim 1 further comprising the step of adjusting the clock rate as a function of a current capacity of the buffer to even out the rate of transmitting the media frames.
3. The method as recited in claim 1 wherein the transmitting step comprises the step of transmitting in a cyclical manner the media frames in the buffer for different clients so that no client is starved for media frames.
4. The method as recited in claim 1 further comprising the step of registering the client with the media server to determine a delivery identification for the client for the media server, which delivery identification is provided by the client as part of the requesting step.
5. The method as recited in claim 1 further comprising the step of looking up a desired clip by the client in the media server to provide the client with a clip identification, which clip identification is provided by the client as part of the requesting step.

5

10

15

20

25

30



35

40


45


50


55



cid = CLIP ID
 did = DELIVERY INDENTIFIER
 hid = cid + did
 F# = FRAME NUMBER
 RANGE 1.....N







Europäisches Patentamt
European Patent Office
Office européen des brevets



(11) **EP 0 901 249 A3**

(12) **EUROPEAN PATENT APPLICATION**

(88) Date of publication A3:
06.06.2001 Bulletin 2001/23

(51) Int Cl.7: **H04H 1/02, G11B 27/031,**
H04N 7/173, H04N 5/00

(43) Date of publication A2:
10.03.1999 Bulletin 1999/10

(21) Application number: **98304517.0**

(22) Date of filing: **08.06.1998**

(84) Designated Contracting States:
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE
Designated Extension States:
AL LT LV MK RO SI

(72) Inventor: **Tilt, Christopher E.**
Portland, Oregon 97229 (US)

(74) Representative: **Molyneaux, Martyn William**
Langner Parry
52-54 High Holborn
London WC1V 6RR (GB)


(30) Priority: **10.06.1997 US 872032**

(71) Applicant: **TEKTRONIX, INC.**
Wilsonville, Oregon 97070-1000 (US)

(54) **Server for interactive distribution of audio/video programmes over telecommunication networks**

(57) An audio/video media server for distributed editing over networks receives requests from clients on the networks that include a clip identifier, a delivery destination identifier and the frame numbers from the clip desired. The media server parses the requests and asynchronously accesses a file system to retrieve the requested media frames from a storage medium. The re-

trieved media frames are asynchronously transferred to a FIFO buffer, and a clock rate for a local clock is adjusted according to the fullness of the buffer. The media frames from the buffer are sent in the form of data packets over the networks in response to interrupts generated by the local clock. In this manner the timing for the media frames is controlled by the clients to assure a continuous stream of video during editing.



EP 0 901 249 A3



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 98 30 4517

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.6)
X	US 5 553 221 A (REIMER JAMES A ET AL) 3 September 1996 (1996-09-03)	1,5	H04H1/02 G11B27/031 H04N7/173 H04N5/00
Y	* column 3, line 48-64 * * column 14, line 45 - column 16, line 23 * * column 23, line 10 - column 26, line 14; figures 9A,17-20 *	2-4	
Y	EP 0 698 999 A (HEWLETT PACKARD CO) 28 February 1996 (1996-02-28) * the whole document *	2-4	
X	WO 97 16023 A (EMC CORP) 1 May 1997 (1997-05-01)	1-3	
Y	* page 13, line 36 - page 14, line 14 * * page 17, line 15-20 * * page 17, line 38 - page 34, line 12; figures 5,7-12 *	4,5	TECHNICAL FIELDS SEARCHED (Int.Cl.6) H04H G11B H04N
Y	US 5 442 390 A (GOLDMAN MATTHEW S ET AL) 15 August 1995 (1995-08-15) * column 8, line 4-22; figure 4 *	4,5	
X	WO 97 04596 A (ORACLE CORP) 6 February 1997 (1997-02-06)	1	
Y	* page 12, line 1 - page 15, line 16 * * page 56, line 6 - page 60, line 23; figures 18,5,6 *	2	
Y	US 5 559 798 A (CLARKSON KENNETH L ET AL) 24 September 1996 (1996-09-24) * column 3, line 34 - column 5, line 13; claims 1-6; figure 2 *	2	
-/--			
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 17 April 2001	Examiner Pantelakis, P
<p>CATEGORY OF CITED DOCUMENTS</p> <p>X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document</p> <p>T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document</p>			

EPO FORM 1503 05-82 (PUB.01)



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 98 30 4517

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.8)
X	US 5 583 561 A (BAKER DONN B ET AL) 10 December 1996 (1996-12-10) * column 15, line 22-65; claims 1-3,6,20,21,29-31,44,45,53-55; figures 7,8 *	1	
E	US 5 892 915 A (FORECAST JOHN ET AL) 6 April 1999 (1999-04-06) * the whole document *	1-5	
A	GELMAN A D ET AL: "A STORE-AND-FORWARD ARCHITECTURE FOR VIDEO-ON-DEMAND SERVICE" PROCEEDINGS OF THE INTERNATIONAL CONFERENCE ON COMMUNICATIONS,US,NEW YORK, IEEE, vol. -, 23 June 1991 (1991-06-23), pages 842-846, XP000269608 ISBN: 0-7803-0006-8 * page 844, column 2, paragraphs 1,2; figure 3 *	1	
The present search report has been drawn up for all claims			TECHNICAL FIELDS SEARCHED (Int.Cl.8)
Place of search THE HAGUE		Date of completion of the search 17 April 2001	Examiner Pantelakis, P
<p>CATEGORY OF CITED DOCUMENTS</p> <p>X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document</p> <p>T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date O : document cited in the application L : document cited for other reasons B : member of the same patent family, corresponding document</p>			

EP FORM 1503 03/92 (P/COL)

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 98 30 4517

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

17-04-2001

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 5553221 A	03-09-1996	JP 9027936 A	28-01-1997
		US 6065042 A	16-05-2000
		US 5781730 A	14-07-1998
EP 0698999 A	28-02-1996	US 5606359 A	25-02-1997
		JP 8018947 A	19-01-1996
		US 5815146 A	29-09-1998
WO 9716023 A	01-05-1997	US 5933603 A	03-08-1999
		AT 184742 T	15-10-1999
		AU 7522296 A	15-05-1997
		DE 69604299 D	21-10-1999
		DE 69604299 T	30-12-1999
		EP 0857390 A	12-08-1998
		JP 11514171 T	30-11-1999
		US 5948062 A	07-09-1999
		US 6061504 A	09-05-2000
		US 5737747 A	07-04-1998
		US 5829046 A	27-10-1998
US 5442390 A	15-08-1995	CA 2127347 A	08-01-1995
		DE 69415880 D	25-02-1999
		DE 69415880 T	19-08-1999
		EP 0633694 A	11-01-1995
WO 9704596 A	06-02-1997	US 5659539 A	19-08-1997
		CA 2197323 A	06-02-1997
		EP 0781490 A	02-07-1997
		EP 0963117 A	08-12-1999
		EP 0964578 A	15-12-1999
		EP 0963118 A	08-12-1999
		US 5864682 A	26-01-1999
		US 6112226 A	29-08-2000
		US 6138147 A	24-10-2000
US 5559798 A	24-09-1996	US 6119154 A	12-09-2000
		CA 2172319 A	20-10-1996
		EP 0741474 A	06-11-1996
US 5583561 A	10-12-1996	JP 8298511 A	12-11-1996
		DE 69509523 D	10-06-1999
		DE 69509523 T	02-09-1999
		EP 0764381 A	26-03-1997
		JP 10501389 T	03-02-1998
		WO 9534169 A	14-12-1995

EPO FORM P0459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 98 30 4517

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on. The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

17-04-2001

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 5892915 A	06-04-1999	US 5987621 A	16-11-1999
		US 5974503 A	26-10-1999

EPO FORM P0459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

THIS PAGE BLANK (USPTO)